# Index, Volume 43


2,4,5-T, 33, 36

A

Abcission layer, 291
Above-ground phytomass dynamics in a grassland steppe of Patagonia, Argentina, 157
Above-ground productivity, 367
Abundance, 333
Abundance, seed pod nutritional characteristics, and seed germination of leguminous trees in South Kordofan, Sudan, 333
*Acacia nilotica,* 333
Activities (sheep), 387
Activity budgets (mule deer), 229
Adams, Don C., 378, 383
ADG, 535
Age-size relationships, 61
Agro-forestry, 235
*Agropyron desertorum,* 186, 253, 257, 320, 336, 428, 446
*Agropyron intermedium,* 224
*Agropyron smithii,* 205, 257, 282, 310, 320, 344, 501
*Agropyron spicatum,* 336, 350, 501
Ait, Mhand, T., 390
Al-Noori, Mohmood, 202
Alberta, 260
*Albizia anthelmintica,* 333
Alfalfa, 216, 428
Alyaeesh, Faisal, 202
*Andropogon distachyos,* 202
*Andropogon gerardii,* 58, 95, 286, 401, 421, 540
Angell, Raymond F., 186, 253
Angora goat, 116, 123, 530
Animal performance, 396
Animal-unit, 553
Animal-unit-month, 553
Ansley, R.J., 33, 36, 347, 436
Ares, J.O., 157
*Aristida oligantha,* 424
*Artemisia arbuscula,* 161
*Artemisia nova,* 161
*Artemisia tridentata,* 132, 161, 229, 350, 358, 432
Asay, K.H., 407
Ash-free indigestible acid detergent fiber as an internal marker to estimate digestibility with grazing ruminants, 224
Aspen forest, 212
Aspen, quaking, 212
Atrazine, 421
Atrazine and burning in tallgrass prairie infested with prairie threeawn, 424
*Atriplex canescens,* 530
Attitudes, 147

B

Bahler, C.C., 421
Bailey, A.W., 212
Baker, Denise L., 2
Barley grain, 378
Barnes, Thomas G., 220
Bartolome, James W., 61
Bauer, Dennis, 540
Beck, R.F., 396, 550
Bedell, Thomas E. 89
Berdahl, J.D., 216
Berg, William A., 265
Bermudagrass, 136
Bernardo, Daniel J., 242
Bertiller, Monica B., 157, 300
Bhat, R.B., 177
Biases in relative estimates of dietary mineral status from esophageal extrusa, 136
Bidwell, Terrence G., 209, 424
Biomass (belowground), 52
Biomass (live), 367
Biomass (standing dead), 367
Biomass production, 344
Blankenship, Lytle H., 220
Bluegrass, fowl, 295
Bluegrass, Kentucky, 295
Bluegrass, Sandberg, 506
Bluestem, big, 58, 95, 286, 401, 421, 540
Bluestem, caucasian, 190
Bluestem, Kleberg, 466
Bluestem, little, 95, 401, 421, 497
Bluestem, oldworld, 265
Bluestem, sand, 540
Boe, A., 195, 411
Boerner, Ralph E.J., 29
Bojorquez, Tapia, Luis A., 25
Bokhari, Unab G., 202
Bonham, Charles D., 501
Book Reviews, 85, 181, 277, 373, 469
Booth, D. Terrance, 20, 276
Booth, Gordon D., 432
Botanical composition, 513
Botanical composition of goat diets in thinned and cleared deciduous woodland in northeastern Brazil, 523
*Bothriochloa caucasica,* 190
*Bothriochloa ischaemum,* 265
*Bouteloua curtipendula,* 411
*Bouteloua gracilis,* 282, 310, 325, 413, 456, 530
Boutouba, A., 530
Breeding of plants, 428
British Columbia, 350
Britton, Carlton M., 92, 461
Brizuela, M.A., 344
Broadsense heritability, 407
Brome, cheatgrass, 446, 506
Brome, japanese, 205
Brome, smooth, 212, 320
*Bromus inermis,* 212, 320
*Bromus japonicus,* 205
*Bromus setifolius,* 157
*Bromus tectorum,* 446, 506
Browse, 116
Brummer, Joe E., 95
*Buchloe dactyloides,* 205, 282, 310
Buffalograss, 205, 282, 310
Buffelgrass, 466
Bundleflower, Illinois, 153, 466
Burning (prescribed), 205, 209, 212
Busso, C.A., 336
Butterfield, Charles H., 310

C

Caatinga, 523
*Calamovilfa longifolia,* 540
Calcium, 20, 220, 407
California foothill rangeland, 61
California's privately owned oak woodland: Owners, use, and management, 147
*Camnula pellucida,* 216
Canon, Stephen K., 304
*Capra hircus,* 116, 123, 229, 523, 530
Carbohydrate reserves, 52
Carbohydrates, 202
Carbon, 14, 442
Cardenas, M., 530
*Carex filifolia,* 205
Carlson, D.H., 491
Carrying capacity, 553
Caryopsis weight, 411
*Cassia fasciculata,* 466
Cattle (beef), 535
Cattle (stocker), 99
Cattle diet, 127, 271
Cattle grazing, 295
*Cenchrus ciliaris,* 466
*Cercocarpus ledifolius,* 13
*Cercocarpus montanus,* 530
Chatterton, N.J. 336
Chernozemic soils, 260, 456
*Chrysothamnus nauseosus,* 177
Cid, M.S., 344
Clanton, D.C., 238, 316
Classification, 271, 282
Classifying herbivore diets using hierarchical cluster analysis, 271
Claypool, P. Larry, 209
Climate, 482
Clipping, 344, 497
Clipping and long-term grazing effects on biomass and carbohydrate reserves of Indian ricegrass, 52
Clipping date effects on soil water and regrowth in crested wheatgrass, 253
Clopyralid, 33, 36
Cluster analysis, 271
*Colinus virginianus,* 2
Colorado, 295
Communal grazing, 486
Comparative photosynthetic responses of big bluestem to clipping versus grazing, 58
Comparison of actual and predicted blue oak age structures, 61
Comparison of the copper and molybdenum status of yearling steers grazing reclaimed mined land and native range, 69
Comparison of two furrow opener-depth control assemblies for seeding forage grasses, A, 82
Comparison standards, 456
Components of seed yield in 'Pierre' sideoats grama, 411
Concepts of carrying capacity and substitution ratios: a systems viewpoint, 553
Conditioned food aversion, 127
Conditioned taste aversion: potential for reducing cattle loss to larkspur, 127
Continuous grazing, 2, 64, 396
Continuous marker, 144
Contour ripping, 274
Control of honey mesquite with herbicides: influence of plant height, 33
Control of honey mesquite with herbicides: influence of stem number, 36
Cool-season pastures, 320
Copper, 220
Copper deficiency, 69
Cover (canopy), 325, 413
Cover (thermal), 73
Cox, Jerry R., 43, 367
Creosotebush, 43
Creosotebush control and forage production in the Chihuahuan and Sonoran Deserts, 43
Crop coefficients for rangeland, 482
Cross Timbers, 242
Cuany, R.L., 49
Cuomo, C.J., 36, 436
*Cynodon dactylon,* 136

# Index, Volume 43


2,4,5-T, 33, 36

A

Abcission layer, 291
Above-ground phytomass dynamics in a grassland steppe of Patagonia, Argentina, 157
Above-ground productivity, 367
Abundance, 333
Abundance, seed pod nutritional characteristics, and seed germination of leguminous trees in South Kordofan, Sudan, 333
*Acacia nilotica,* 333
Activities (sheep), 387
Activity budgets (mule deer), 229
Adams, Don C., 378, 383
ADG, 535
Age-size relationships, 61
Agro-forestry, 235
*Agropyron desertorum,* 186, 253, 257, 320, 336, 428, 446
*Agropyron intermedium,* 224
*Agropyron smithii,* 205, 257, 282, 310, 320, 344, 501
*Agropyron spicatum,* 336, 350, 501
Ait, Mhand, T., 390
Al-Noori, Mohmood, 202
Alberta, 260
*Albizia anthelmintica,* 333
Alfalfa, 216, 428
Alyaeesh, Faisal, 202
*Andropogon distachyos,* 202
*Andropogon gerardii,* 58, 95, 286, 401, 421, 540
Angell, Raymond F., 186, 253
Angora goat, 116, 123, 530
Animal performance, 396
Animal-unit, 553
Animal-unit-month, 553
Ansley, R.J., 33, 36, 347, 436
Ares, J.O., 157
*Aristida oligantha,* 424
*Artemisia arbuscula,* 161
*Artemisia nova,* 161
*Artemisia tridentata,* 132, 161, 229, 350, 358, 432
Asay, K.H., 407
Ash-free indigestible acid detergent fiber as an internal marker to estimate digestibility with grazing ruminants, 224
Aspen forest, 212
Aspen, quaking, 212
Atrazine, 421
Atrazine and burning in tallgrass prairie infested with prairie threeawn, 424
*Atriplex canescens,* 530
Attitudes, 147

B

Bahler, C.C., 421
Bailey, A.W., 212
Baker, Denise L., 2
Barley grain, 378
Barnes, Thomas G., 220
Bartolome, James W., 61
Bauer, Dennis, 540
Beck, R.F., 396, 550
Bedell, Thomas E. 89
Berdahl, J.D., 216
Berg, William A., 265
Bermudagrass, 136
Bernardo, Daniel J., 242
Bertiller, Monica B., 157, 300
Bhat, R.B., 177
Biases in relative estimates of dietary mineral status from esophageal extrusa, 136
Bidwell, Terrence G., 209, 424
Biomass (belowground), 52
Biomass (live), 367
Biomass (standing dead), 367
Biomass production, 344
Blankenship, Lytle H., 220
Bluegrass, fowl, 295
Bluegrass, Kentucky, 295
Bluegrass, Sandberg, 506
Bluestem, big, 58, 95, 286, 401, 421, 540
Bluestem, caucasian, 190
Bluestem, Kleberg, 466
Bluestem, little, 95, 401, 421, 497
Bluestem, oldworld, 265
Bluestem, sand, 540
Boe, A., 195, 411
Boerner, Ralph E.J., 29
Bojorquez, Tapia, Luis A., 25
Bokhari, Unab G., 202
Bonham, Charles D., 501
Book Reviews, 85, 181, 277, 373, 469
Booth, D. Terrance, 20, 276
Booth, Gordon D., 432
Botanical composition, 513
Botanical composition of goat diets in thinned and cleared deciduous woodland in northeastern Brazil, 523
*Bothriochloa caucasica,* 190
*Bothriochloa ischaemum,* 265
*Bouteloua curtipendula,* 411
*Bouteloua gracilis,* 282, 310, 325, 413, 456, 530
Boutouba, A., 530
Breeding of plants, 428
British Columbia, 350
Britton, Carlton M., 92, 461
Brizuela, M.A., 344
Broadsense heritability, 407
Brome, cheatgrass, 446, 506
Brome, japanese, 205
Brome, smooth, 212, 320
*Bromus inermis,* 212, 320
*Bromus japonicus,* 205
*Bromus setifolius,* 157
*Bromus tectorum,* 446, 506
Browse, 116
Brummer, Joe E., 95
*Buchloe dactyloides,* 205, 282, 310
Buffalograss, 205, 282, 310
Buffelgrass, 466
Bundleflower, Illinois, 153, 466
Burning (prescribed), 205, 209, 212
Busso, C.A., 336
Butterfield, Charles H., 310

C

Caatinga, 523
*Calamovilfa longifolia,* 540
Calcium, 20, 220, 407
California foothill rangeland, 61
California's privately owned oak woodland: Owners, use, and management, 147
*Camnula pellucida,* 216
Canon, Stephen K., 304
*Capra hircus,* 116, 123, 229, 523, 530
Carbohydrate reserves, 52
Carbohydrates, 202
Carbon, 14, 442
Cardenas, M., 530
*Carex filifolia,* 205
Carlson, D.H., 491
Carrying capacity, 553
Caryopsis weight, 411
*Cassia fasciculata,* 466
Cattle (beef), 535
Cattle (stocker), 99
Cattle diet, 127, 271
Cattle grazing, 295
*Cenchrus ciliaris,* 466
*Cercocarpus ledifolius,* 13
*Cercocarpus montanus,* 530
Chatterton, N.J. 336
Chernozemic soils, 260, 456
*Chrysothamnus nauseosus,* 177
Cid, M.S., 344
Clanton, D.C., 238, 316
Classification, 271, 282
Classifying herbivore diets using hierarchical cluster analysis, 271
Claypool, P. Larry, 209
Climate, 482
Clipping, 344, 497
Clipping and long-term grazing effects on biomass and carbohydrate reserves of Indian ricegrass, 52
Clipping date effects on soil water and regrowth in crested wheatgrass, 253
Clopyralid, 33, 36
Cluster analysis, 271
*Colinus virginianus,* 2
Colorado, 295
Communal grazing, 486
Comparative photosynthetic responses of big bluestem to clipping versus grazing, 58
Comparison of actual and predicted blue oak age structures, 61
Comparison of the copper and molybdenum status of yearling steers grazing reclaimed mined land and native range, 69
Comparison of two furrow opener-depth control assemblies for seeding forage grasses, A, 82
Comparison standards, 456
Components of seed yield in 'Pierre' sideoats grama, 411
Concepts of carrying capacity and substitution ratios: a systems viewpoint, 553
Conditioned food aversion, 127
Conditioned taste aversion: potential for reducing cattle loss to larkspur, 127
Continuous grazing, 2, 64, 396
Continuous marker, 144
Contour ripping, 274
Control of honey mesquite with herbicides: influence of plant height, 33
Control of honey mesquite with herbicides: influence of stem number, 36
Cool-season pastures, 320
Copper, 220
Copper deficiency, 69
Cover (canopy), 325, 413
Cover (thermal), 73
Cox, Jerry R., 43, 367
Creosotebush, 43
Creosotebush control and forage production in the Chihuahuan and Sonoran Deserts, 43
Crop coefficients for rangeland, 482
Cross Timbers, 242
Cuany, R.L., 49
Cuomo, C.J., 36, 436
*Cynodon dactylon,* 136

D
*Dactylis glomerata,* 212
Dalen, Raymond S., 249
Data transformation, 545
Deer, 235
Defoliation, 336
Defoliation effects on production and morphological developments of little bluestem, 497
Defoliation frequency, 95, 401
Defoliation frequency and intensity effects on pasture forage quality, 198
Defoliation intensity, 95, 401
Defossé, Guillermo, E., 157, 300
Degree of use, 99
*Delphinium barbeyi,* 127
Dennis, G.L., 325
Depuit, E.J., 449
*Desmanthus illinoensis,* 153, 466
Detling, J.K., 344
*Dichanthium annulatum,* 466
Diet composition, 123, 229
Diet composition of Angora goats in a short duration grazing system, 123
Diet determination techniques, 271
Diet prediction, 139
Diet quality, 116, 139
Diet selection, 310
Diet similarity, 310
Differences in riparian vegetation structure between grazed areas and exclosures, 295
Digestible dry matter yields, 198
Dinitrogen fixation, 49
Discriminant analysis, 282
Disking, 43
Distribution of nitrogen fractions in grazed and ungrazed fescue grassland Ah horizons, 6
Dobrowolski, J.P., 486
Donart, Gary B., 387
Dormaar, Johan F., 6, 260, 456, 513
Douglas-fir, 235
Dovel, R.L., 153
Dowher, Steven L., 304
Downs, Janelle L., 506
Drill, 274
Dropseed, sand, 205
Dropseed, tall, 195
Dyck, F.B., 82

E
Easton meadowlark, 2
Ecology of curlleaf mahogany in western and central Nevada: community and population structure, 13
Ecotypic differentition, 52
Effect of grazing and cultivation on some chemical properties of soils in the mixed prairie, 456
Effect of grazing by sheep on the quantity and quality of forage available to big game in Oregon's Coast Range, 235
Effect of honey mesquite on the water balance of Texas Rolling Plains rangeland, 491
Effect of long-term, year-long grazing at moderate and heavy rates of stocking on diet-selection and forage intake dynamics, 304
Effect of manager risk attitudes on range improvement decisions, The, 242
Effect of soil water, nitrogen, and growing degree-days on morphological development of crested and western wheatgrass, 257
Effect of water stress on phenological and ecophysiological characteristics of cheatgrass and Sandberg's bluegrass, 506
Effects of continuous grazing on habitat and density of ground foraging birds in south Texas, 2
Effects of domestic goats on deer wintering in Utah oakbrush, 229
Effects of herbage allowance on defoliation patterns of tallgrass prairie, 401
Effects of manual application method on application time, thoroughness, and tebuthiuron outlays, 39
Effects of spring headfires and backfires on tallgrass prairie, 209
El Aich, A., 390
El Khamkhami, S., 390
Elk, 235
Endophytes, 29
Energetics, 73
Engle, D.M., 99, 209, 242, 424
Environmental influences on germination of utricles and seedling establishment of 'immigrant' forage kochia, 518
Environmental stress, 20
Epicuticular wax in honey mesquite: Seasonal accumulation and intraspecific variation, 347
*Eragrostis curvula,* 461
*Eragrostis lehmanniana,* 367
Ermelo weeping lovegrass response to clipping, fertilization, and watering, 461
Erosion (interrill), 491
Eskridge, K.M., 238, 316
Establishment and survival of Illinois bundleflower interseeded into an established kleingrass pasture, 153
Estell, R.E., 144
Estimates of critical thermal environments for mule deer, 73
*Euphorbia esula,* 442
*Eurotia lanata,* 501
Evaluation of a continuous-release ytterbium bolus, 144
Evaluation of sample adequacy for point analysis of ground cover, 545
Evans, Raymond A., 358
Extension, 147

F
Fecal nitrogen fractions, 139
Fecal output, 109, 144, 316
Feces, 238
Fertilization (N-P), 449
Fescue, rough, 6
*Festuca pallescens,* 157
*Festuca scabrella,* 6
Ffolliott, Peter F., 25
Fillinger, Thomas J., 220
Finley, J.W., 224
Fire behavior, 209
Fire effects, 209
Fistula (Esophageal), 109
Fitzgerald, R.D., 212
Fluid passage, 378, 383
Forage (winter), 177
Forage availability, 104
Forage emergence, 82
Forage intake, 64, 304
Forage quality, 186
Forage type, 136
Forage yield, 428
Forage-base change, 229
Foraging efficiency, 229
Foraging strategies, 123
Forest grazing, 235
Formula, 545
Fortmann, Louise, P., 147
Francis, Richard E., 325
Frank, A.B., 257
Freeman, A.S., 144
Freezing, 20
Frequency, 104
Fresquez, P.R., 325
Fulbright, Timothy E., 466
Furrow opener-depth control assemblies, 82

G
Galyean, M.L., 144, 378, 383, 387, 530
Ganskopp, David C., 274, 518
Gee, Glendon W., 506
Gellner, J.L., 411
Genetic variability for elements associated with grass tetany in Russian wildrye, 407
Germination of 2 legumes in leachate from introduced grasses, 466
Germination paper, 276
Gestating cows, 238
Gillen, Robert L., 95, 99, 401
Gillingham, Michael P., 73
Globemallow, 428
Goat, 229, 523
Goat diets, 116
Gonzalez, Karen A., 229
Grama, blue, 282, 310, 325, 413, 456, 530
Grama, sideoats, 411
Grass breeding, 407
Grasshopper, 216
Grasshopper defoliation, 216
Grassland, 482
Grassland restoration, 325
Grazing and plant growth interactions in a semiarid *Festuca pallescens* grassland (Patagonia), 300
Greene, L.W., 136
Griffin, T.S., 421
Growing degree-days, 257
Growth chamber, 344
Growth model, 20
Guertin, D. Phillip, 25
Guthery, Fred S., 2
*Gutierrezia sarothrae,* 325
Gutman, Mario, 64, 535

H
Habitat types, 161
Haferkamp, Marshall R., 186, 253, 271, 518
Hanson, C.L., 482
Hashim, Ibrahim M., 333
Hatfield, Patrick G., 316, 387
Heavy grazing, 52
Heavy metals, 325
Heineman, Sharon G., 220
Heitschmidt, Rodney K., 304, 491
Herbage production-forest overstory relationships in two Arizona ponderosa pine forests, 25
Herbage production of Mediterranean grassland under seasonal and year-long grazing systems, 64
Herbage yield, 286, 325, 413
Herbage yields-forest overstory relationships, 25
Herbicide exudation, 442
Herbivory, 523
Heritability, 216
Hetrick, B.A.D., 286
Hewitt, G.B., 216
Hickman, Michael V., 442
Hierarachical cluster analysis, 271
High-performance short-duration and repeated-seasonal grazing systems: Effect on diets and performance of calves and lambs, 310
*Hilaria mutica,* 92
Hofmann, L., 69, 320, 545

Holechek, J.L., 530
Holloway, J.W., 109
Holt, E.C., 153
Holzer, Z., 535
*Hordeum comosum,* 157
Horn, G.W., 99
Horse diets, 271
Huffman, A.H., 347
Hunt, L.J., 136
Huntsinger, Lynn, 147
Hussey, M.A., 153
Hydrologic modeling of a treated rangeland watershed, 474
Hydrology (wildland), 486
*Hyperrhenia hirta,* 202
Hypomagnesemia, 407

I

Ibrarra-F., Fernando, 43
Idaho, 10
Imprinter, 274
In vitro dry matter digestibility, 177, 190
In vivo organic matter digestibility, 378, 383
Indiangrass, 401
Indicators, 316
Infiltration (soil), 10
Influence of grazing, vegetative live-form, and soil type on infiltration rates and interrill erosion on a Somalia rangeland, 486
Influence of range site on diet selection and nutrient intake of cattle, 109
Influence of two native shrubs on goat nitrogen status, 530
Insect resistance, 216
Intake, 109, 378, 383
Intensive stocking, 99
Internal marker, 224
Interpretation of environmental gradients which influence sagebrush community distribution in northeastern Nevada, 161
Interseeding, 153
Introduced perennial species, 367
Iron magnesium, 220
Irrigation, 449
Irving, B.D., 212
ISODATA, 282

J

Jacobson, Tracy L.C., 432
Jacoby, P.W., 33, 36, 347, 436
Jensen, Holger L., 401
Jensen, Mark E., 161
Johnsen Jr., Thomas N., 249
Jones, T.A., 291, 416
Juniper, 249
Juniper, oneseed, 413
Juniper, Utah 39
*Juniperus monosperma,* 413
*Juniperus osteosperma,* 39
*Juniperus* spp., 249

K

Karn, J.F., 69, 320
Kenny, S.T., 49
Kinematic, 274
Kleingrass, 92, 153
Knapp, Bradford W., 378, 518
Knight, R.W., 491
Kochia, forage, 518
*Kochia prostrata,* 518
Kothmann, M. Mort, 104, 123

L

Lambs, 387
Land imprinting, 43
Landowners, 147
Lane, Mark A., 127
Larkspur, tall, 127
*Larrea tridenta,* 43
Larson, Larry L., 271
Launchbaugh, Karen L., 109
Laundrë, John W., 10
Lawrence, T., 82
Leaf conductance and transpiration of winterfat associated with 2 species of wheatgrass on disturbed sites, 501
Leaf water potentials, 436
Lees, G.L., 468
Legumes, 333
Lehmann lovegrass in southeastern Arizona: Biomass production and disappearance, 367
Leininger, Wayne C., 295
Leite, Eneas R., 139
Lewis, James K., 310
*Leymus angustus,* 167
Link, Steven O., 506
Litter, 367
*Lolium perenne,* 198
Lovegrass, Lehmann, 367
Lovegrass, weeping, 461
Lupine mountain, 49
Lupine, silvery, 49
Lupine, tailcup, 49
*Lupinus alpestris,* 49
*Lupinus argenteus,* 49
*Lupinus caudatus,* 49
Lym, Rodney G., 442
Lysimeter, 482, 491

M

Mack, Steven E., 501
Macro and trace mineral content of selected south Texas deer forages, 220
Macrominerals, 136
Magnesium, 20, 407
Mahogany, curlleaf, 13
Mahogany, true, 530
Malechek, John C., 523
Malvaceae, 428
Managing individual juniper and pinyon infestations with pelleted tebuthuiron or picloram, 249
Manganese, 220
Marginal farmland, 265
Marietta, Kay L., 518
Martin-R, Martha H., 43
Masters, Robert A., 461, 540
Mayland, H.F., 407
McArthur, E. Durant, 177
McClaran, Mitchell P., 61
McCollum, F.Ted, 95, 99, 401
McInnis, Michael L., 271
McPherson, Guy R., 92
Meadors, C.H., 33, 36, 347
*Medicago sativa,* 216, 428
Mefluidide effect on caucasian bluestem leaves, stems, forage yield, and quality, 190
*Melanoplus* spp., 216
Mesquite, honey, 33, 36, 171, 347, 436, 491
Messersmith, Calvin G., 442
Methods of administering ytterbium for estimation of fecal output, 316
Microminerals, 136
Microtopography, 358
Mid-winter protein, phosphorus and digestibility of *Chrysothamnus nauseosus* subspecies, 177
Miller, R.H., 216
Miller, Richard F., 186, 253
Mine spoils, 449
Mixed grass prairie, 282
Mixed-species grazing, 310
Molybdenosis, 69
Morgan, D.R., 276
Morton, Howard L., 43
Moser, L.E., 421, 497
Motazedian, Iraj, 198
Motjope, L., 224
Mourning dove, 2
Mower clipped, 320
Mueller, R.J., 291
*Muhlenbergia pauciflora,* 413
Muhly, New Mexico, 413
Mule deer, 73, 229
Mullahey, J.J., 497
Mycorrhizal influences on big bluestem rhizome regrowth and clipping tolerance, 286

N

Native hay meadow, 424
Nebraska Sandhills, 540
Needleandthread, 456
Needlegrass, green, 205
Needlegrass, Texas 304
Nelson, M.L., 224
New Mexico, 325
Nielson, D.C. 291
Nitrogen, 260, 320
Nitrogen accumulation and acetylene reduction activity of native on disturbed mountain sites in Colorado, 49
Nitrogen balance, 265
Nitrogen exchangeability, 6
Nitrogen hydrolysis, 6
Nitrogen mineralization, 6
Nonstructural carbohydrates and spring regrowth of two cool-season grasses: Interaction of drought and clipping, 336
North America, 367
Northern bobwhite, 2
Norton, B.E., 132
Noy-Meir, Imanuel, 64, 535
Nunez-Hernandez, G., 530
Nurdin, 466
Nutrient analysis, 333
Nutrient cycling, 325
Nutrient intake, 139
Nutritional characteristics of important desert grasses in Saudi Arabia, 202
Nutritional plane, 229

O

Oak, 147
Oak, blue, 61
Oak-hickory forest, 99
Oak, sand shinnery, 116
*Odocoileus hemionus,* 73, 229
*Odocoileus virginianus,* 220
Oklahoma, 58, 424
Old World bluestem responses to nitrogen fertilization, 265
Olsen, John D., 127
Optimum stocking rate, 553
Orchardgrass, 212
Organic acids, 260
Organic amendment, 325
Organic matter, 260
Orodho, Apollo B., 52
*Oryzopsis hymenoides,* 52, 291, 416
Osborn, Herbert B., 474
Overstory-understory relations in pinyon-juniper woodlands in New Mexico, 413
Overstory-understory relationships, 13
Owens, M.K., 132
Owensby, C.E., 286

P

Palmquist, Debra, 358
*Panicum coloratum* L., 92, 153
*Panicum turgidum,* 202

*Panicum virgatum*, 421
Parady, F.E., 449
Parish, S.M., 224
Parker, Katherine L., 73
Particulate passage, 378, 383
*Pascopyrum smithii*, 205, 257, 282, 310, 320, 344, 501
Pasture management, 198
Path coefficient analysis, 411
Pea, partridge, 466
Pendery, Bruce M., 428
Periodicity of emergence, 358
Persistence, 497
Pfister, James A., 116, 127
Phenological patterns and adaptations in an *Artemisia/Agropyron* plant community, 350
Phenols, 260
Phosphorus, 177, 220, 238, 407
Photosynthesis/transpiration ratio, 58
Phreatophyte, 436
Physiology, 347
Picloram, 33, 36, 249, 442
Picloram release from leafy spurge roots, 442
Pieper, Rex D., 413, 550
Pinchak, W.E., 136, 304
Pine, pinyon, 249, 413
Pine, ponderosa, 25
*Pinus edulis*, 249, 413
*Pinus monophylla*, 39
*Pinus ponderosa*, 25
Pinyon, singleleaf, 39
*Piptochaetium fimbriatum*, 413
Pitt, Michael D., 350
Plant-animal interactions, 300, 523
Plant competition, 446, 501
Plant control (brush), 36, 39, 242, 249, 347
Plant nitrogen, 186
Plant phenology, 506
Plant resistance, 33
Plant yield, 497
Plasma, 238
*Poa ligularis*, 157
*Poa palustris*, 295
*Poa pratensis*, 295
*Poa sandbergii*, 506
*Pogonomyrmex owhyheei*, 10
Poisonous plants, 127
Policy, 147
Population biology, 195
*Populus tremuloides*, 212
Potassium, 20, 220, 407
Poultry litter, 535
Powell, K.B., 449
Power, 274
Power requirements of an imprinter and rangeland drill, 274
Prairie dog colonies, 344
Precipitation, 274
Primary productivity, 300
Private land use, 147
Profitability, 242
Pronghorn diets, 271
Proportion or percentage data, 545
*Prosopis glandulosa*, 33, 36, 171, 347, 436, 491
Protein, 177, 186, 190, 202, 304, 383, 461
Protein yield, 198
Provenza, Frederick D., 127
*Psathyrostachys juncea*, 320, 407
*Pseudoroegneria spicata*, 336, 501
*Psuedotsuga menziesii*, 235

Q

*Quercus douglasii*, 61
*Quercus havardii*, 116
*Quercus*, spp., 147

R

Rabbitbrush, rubber, 177
Railing, 43
Ralphs, Michael H., 104, 127
Range condition, 304
Range condition from an ecological perspective: Modification to recognize multiple use objectives, Viewpoint, 550
Range economics, 274, 390
Range ewes, 387
Range improvement planning, 39
Range improvements, 242, 249, 424
Range site, 109
Range terminology, 553
Raspberry, 212
Recharge, 10
Reclaimed mine spoils, 545
Reclamation, 449, 501
Recurrent phenotypic selection for low grasshopper food preference in rangeland alfalfa, 216
Reece, Patrick E., 540
Regeneration of woody species following burning and grazing in Aspen Parkland, 212
Regrowth (plant), 186, 253
Relationship between phosphorus intake and blood or fecal phosphorus in gestating cows, 238
Relationship of photosynthetic rate and edaphic factors to root carbohydrate trends in honey mesquite, 171
Relationships, 13
Relationships between pasture forage components and fecal chemical composition, 320
Research methods, 276
Resistance, 36, 347
Resource values, 550
Responses of endophyte-bearing and endophyte-free varieties of *Lolium perenne* L. to fungicide treatment and simulated herbivory, 29
Revegetation, 449, 540
Rhodes, Bruce D., 235
Ricegrass, Indian, 52, 291, 416
Ricegrass, pinyon, 413
Richards, J.H., 336
Ries, R.E., 257, 545
Riggs, Robert A., 229
Risk, 242
Risk attitudes, 242
Rittenhouse, L.R., 390
Rocky Mountains, 295
Role of irrigation and fertilization in revegetation of cold desert mined lands, 449
Rollins, Dale, 424
Romo, J.T., 167
Root biomass, 461, 513
Root distribution, 513
Root growth, 167
Root length density, 446
Root length, leaf area, and biomass of crested wheatgrass and cheatgrass seedlings, 446
Root:shoot ratio, 446
Ross, Timothy T., 387
Rotation grazing, 64, 95, 396, 401
Roundy, B.A., 367
*Rubus strigosus*, 212
Rumbaugh, Melvin D., 428
Rumen fermentation, 378, 383
Runoff, 274
Ruyle, G.B., 367
Ryegrass, perennial, 198
*Rytidosperma virescens*, 157

S

Sagebrush steppe, 518
Sagebrush, big, 132, 161, 229, 350, 358, 432
Sagebrush, black, 161
Sagebrush, low, 161
*Salix*, spp., 295
Saltbush, fourwing, 530
Sample size, 545
Sand bluestem and prairie sandreed establishment, 540
Sand shinnery oak as forage for Angora and Spanish goats, 116
Sandreed, prairie, 540
Sanson, David W., 238, 316
Scarnecchia, David L., 553
Schacht, Walter H., 523
Scherzer, Amy J., 29
*Schizachyrium scoparium*, 95, 401, 421, 497
Schultz, B.W., 13
Schulz, Terri Tucker, 295
Secondary succession, 550
Sedge, threadleaf, 205
Seed abscission and retention in Indian ricegrass, 291
Seed dormancy, 416
Seed germination, 333
Seed pod, 333
Seed production, 20, 195
Seed retention, 416
Seed set, 411
Seed shattering, 291
Seedbed ecology, 358
Seedbed ecology of winterfat: effects of mother-plant transpiration, wind stress, and nutrition on seedling vigor, 20
Seeding depth, 82
Seeding (range), 274, 428
Seeding establishment, 92
Seedling growth rate of 3 subspecies of big sagebrush, 432
Seligman, Noam G., 64, 535
Senescence, 300
Seral stages, 550
Serum, 238
Sharrow, Steven H., 198, 235
Sheep grazing behavior as affected by supplementation, 387
Shoot growth, 167
Short-duration grazing, 123, 132, 198, 212
Shrub management, 491
Silicon uptake and distribution in *Agropyron smithii* as related to grazing history and defoliation, 344
Simanton, J. Roger, 474
Simulated diet, 320
Simulation model, 300
Size-age-density, 13
Smith, J.L., 449
Smoliak, Sylver, 6, 260, 513
Snakeweed, broom 325
Snowberry, western, 212
Social facilitation, 127
Sodium, 20, 220, 276
Sodium concentration in germination blotters, 276
Soil and vegetation responses to sewage sludge on a degraded semiarid broom snakeweed/blue grama plant community, 325
Soil chemical properties during succession from abandoned cropland to native range, 260
Soil compaction, 92
Soil moisture, 253, 350, 436, 518

Soil moisture patterns below mounds of harvester ants, 10
Soil nitrogen, 49
Soil quality, 456
Soil surface characteristics and emergence of big sagebrush seedlings, 358
Soil transformations, 456
Soil water, 265
Soil water potential, 432
Soil-plant relations, 501
Soil-rangeland relationships, 161
Sonoran Desert, 367
Sorghastrum nutans, 401
Sosebee, Ronald E., 171
South Texas, 220
Southern plains, 265
Spanish goat, 116
*Sphaeralcea coccinea,* 428
*Sphaeralcea grossulariifolia,* 428
*Sphaeralcea munroana,* 428
*Sphaeralcea parvifolia,* 428
*Sporobolus asper,* 195
*Sporobolus cryptandrus,* 205
Spring burning Japanese brome in a western wheatgrass community, 205
Spurge, leafy, 442
SRM Today and Tomorrow, 89
Standard operative temperature, 73
Standing crop, 99, 104, 413
Steers, 144, 224
Steppe, 350
*Stipa comata,* 456
*Stipa leucothrica,* 304
*Stipa viridula,* 205
*Stipagrostis plumosa,* 202
Stochastic simulation, 242
Stocker cattle performance and vegetation response to intensive-early stocking of Cross Timbers rangeland, 99
Stocking density and production of a supplemented beef herd grazing yearlong on Mediterranean grassland, 535
Stocking rate, 6, 95, 535, 553
Stomatal conductance, 436, 506
Stratification, freezing, and drying effects on germination and seedling growth of Altai wildrye, 167
Stress, 347
Strip mining, 69
Stritzke, James F., 424
Structure (community), 13
Structure (population), 13
Sturgis, Blake G., 29
*Sturnella magna,* 2
Stuth, Jerry W., 109, 139
Subclover, 198
Supplemental feeding, 64, 304, 378, 383, 387, 535
Supplementation and monensin effects on digesta kinetics I. Cattle grazing summer range, 378
Supplementation and monensin effects on digesta kinetics II. Cattle grazing winter range, 383
Survey research, 147
Survival and growth of globemallow [*Sphaeralcea*] *species in dry land spaced-plant nurseries, 428*
*Survival of juvenile basin big sagebrush under different grazing regimes, 132*
*Suttill, N.H., 468*
*Svejcar, Tony, 446*
*Switchgrass, 421*
*Symphoricarpos occidentalis,* 212

T

Takar, A.A., 486
Tallgrass prairie, 99
Tannins, 116
Tausch, R.J., 13
Taylor, Charles A., 104, 123
Tebuthiuron, 43, 249
Temperature coefficient, 442
Texas, 2, 436
Thermoregulation, 73
Threeawn, prairie, 424
Thurow, T.L., 486, 491
Tiller defoliation patterns under short duration grazing in tallgrass prairie, 95
Timahdit sheep reproduction and behavior at three stocking rates in the Moyen Atlas of Morocco, 390
Time saving tandem method for grinding dried forage samples to a small particle size, A, 468
TNC/photosynthesis, 171
Trampling effects from short-duration grazing on tobosagrass range, 92
Triclopyr, 33, 36
*Trifolium subterraneum,* 198
*Triticum aestivum,* 136
Trlica, M.J., 52, 501
Tropical forests, 523
Tueller, P.T., 13

U

Urease activity, 6
Uresk, Daniel W., 205, 282
Urness, Philip J., 229
Using multivariate techniques to quantitatively estimate ecological stages in a mixed grass prairie, 282
Utilization of linear prediction procedures to evaluate animal response to grazing systems, 396
Utricles, 518

V

Value of multiple fecal indices for predicting diet quality and intake of steers, 139
Van Pelt, Nicholas S., 39
Variability for seed size and yield in two tall dropseed populations, 195
Variability of crude protein in crested wheatgrass at defined stages of phenology, 186
Varner, Larry W., 220
Vavra, Martin, 271
Vegetation response to increased stocking rates in short-duration grazing, 104
Vegetation response to time-controlled grazing on Mixed and Fescue Prairie, 513
Vesicular-arbuscular mycorrhizae, 286
Viewpoint on Indian ricegrass research: It's present status and future prospect, A, 416
Villena, Francis, 116
Vincent, R.B., 449
Vogel, K.P., 421, 540
Volesky, Jerry D., 310, 383

W

Walker, G.L., 238
Wallace, J.D., 144, 378, 383, 530
Wallace, L.L., 58
Waller, S.S., 497
Wan, Changgui, 171
Ward, Michael G., 378, 383
Warm-season grass establishment as affected by post-planting atrazine application, 421
Water balance, 491
Water relations of honey mesquite following severing of lateral roots: influence of location and amount of subsurface water, 436
Water stress, 167, 336
Water use efficiency, 461
Water yield, 491
Watershed management, 486
Weaning rate, 535
Weaning weight, 535
Weber, D.J., 177
Weigel, Jeffrey R., 92
Weight gain (cattle), 99
Welch, Bruce L., 177, 432
West, Neil E., 39
Wethers, 224
Whalley, R.D.B., 291
Wheat, 136
Wheatgrass, bluebunch, 336, 350, 501
Wheatgrass, crested 186, 253, 257, 320, 336, 428, 446
Wheatgrass, intermediate, 224
Wheatgrass, western, 205, 257, 282, 310, 320, 344, 501
Whicker, A.D., 344
Whisenant, Steven G., 205
White-tailed deer, 220
White, Larry M., 190
Wight, J.R., 482
Wikeem, Brian M., 350
Wildrye, Russian, 320, 407
Wilkins, Dale E., 274
Willms, Walter D., 6, 260, 456, 513
Willow, 295
Wilson, G.W.T., 286
Winder, J.A., 396
Winter range, 416
Winterfat, 501

X

Xylem pressure potential, 506

Y

Young, James A., 358
Ytterbium, 144, 316

Z

*Zenaida macroura,* 2
Zinc, 220

**Credit for the Index** for Volume 43 goes to **Wayne C. Leininger** and **Kevin L. Moore** of Colorado State University.